	Hits	Search Text	DBs
1	5407	((home or household) near (device$1 or appliance$1)) with (network or server or control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	3880	((home or household) near (device$1 or appliance$1)) near5 (network or server or control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	2290	S3 and (@ad<"20010920" or @rlad<"20010920")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	183	S4 and ((terminal or "remote control" or device) near3 regist$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	90	S5 and (authenticat$3 or authoriz$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	1	("6650343").PN.	US-PGPUB; USPAT; USOCR
7	224	S4 and ((residential or home) near (gateway or server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	140	S8 and ((control near2 (device or terminal)) or "remote control")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	6	S10 and (((control near2 (device or terminal)) or "remote control") near5 regist$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
10	589	("remote control" near4 regist$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	6	S17 and ("remote control" near4 ((public or private) near3 key))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	28	("remote control" near4 regist$5) same server$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	69	("4771283").URPN.	USPAT
14	14	("5802467" | "5875395" | "6020881" | "6021324" | "6061604" | "6157313" | "6192236" | "6252883" | "6308083" | "6480586" | "6496575" | "6564056" | "6580950" | "6615088").PN.	US-PGPUB; USPAT; USOCR
15	14	("4882746" | "4928778" | "4989230" | "5086385" | "5109222" | "5127042" | "5218552" | "5282250" | "5353331" | "5442680" | "5461372" | "5463674" | "5608778" | "5682142").PN.	US-PGPUB; USPAT; USOCR
16	28	((public or private) near key) with challenge with rand$2 with (authenticat$3 or verificat$3) and (@ad<"20010920" or @rlad<"20010920")	US-PGPUB; USPAT
17	2214	713/168,170,176,193.ccls. and (@ad<"20010920" or @rlad<"20010920")	US-PGPUB; USPAT
18	58	S28 and ((home or household) near2 (device$1 or appliance$1))	US-PGPUB; USPAT
19	849	340/5.2,5.22,5.5,5.54,5.61.ccls. and (@ad<"20010920" or @rlad<"20010920")	US-PGPUB; USPAT
20	24	S30 and ((home or household) near2 (device$1 or appliance$1))	US-PGPUB; USPAT

	Hits	Search Text	DBs
21	3066	713/168,170,176,193;340/5.2,5.22,5.5,5.54, 5.61.ccls. and (@ad<"20010920" or @rlad<"20010920")	US-PGPUB; USPAT
22	2	S32 and ((remote near2 (control$3 or device$1)) with regist$5 with (id or identi$8))	US-PGPUB; USPAT
23	38	S32 and (regist$5 with (id or identi$8) with (public near key$1))	US-PGPUB; USPAT
24	539	(mobile or cellular) with (authenticat$3 or authoriz$5) with password$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	345	(mobile or cellular) with ((authenticat$3 or authoriz$5) near5 password$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	110	(mobile or cellular) near3 (authenticat$3 or authoriz$5) near5 password$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	45	S37 and (@ad<"20010920" or @rlad<"20010920")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	23	("20020072815" | "5548822" | "5794164" | "5835907" | "5938721" | "5959577" | "6006159" | "6091956" | "6091957" | "6131067" | "6182010" | "6240365" | "6243039" | "6246935" | "6374176" | "6385541" | "6401027" | "6408307" | "6442394" | "6456234" | "6549768" | "6662016" | "6677894").PN.	US-PGPUB; USPAT; USOCR
29	3318	((access near right$1) or authoriz$5) near6 (location)	US-PGPUB; USPAT

	Hits	Search Text	DBs
30	8	(access near right$1) near6 ((location or position) near2 (depend$4 or relevant))	US-PGPUB; USPAT
31	65	((access near right$1) or authoriz$5) near6 ((location or position or home$1 or house$1 or office$1 or indoor or outdoor) near2 (depend$4 or relevant))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
32	41	S44 and (@ad<"20010920" or @rlad<"20010920")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
33	4	("5260943" | "5379447" | "5396647" | "5530693").PN.	US-PGPUB; USPAT; USOCR
34	1133	(register$3 or registrat$3) with ((send$3 or transmit$4 or submit$4) near2 key)	US-PGPUB; USPAT; USOCR
35	117	(register$3 or registrat$3) with ((send$3 or transmit$4 or submit$4) near2 key) with server$1	US-PGPUB; USPAT; USOCR
36	67	(register$3 or registrat$3) with ((send$3 or transmit$4 or submit$4) near2 key) near4 server$1	US-PGPUB; USPAT; USOCR
37	27	S49 and (@ad<"20010920" or @rlad<"20010920")	US-PGPUB; USPAT; USOCR
38	14	("5153919" | "5204902" | "5365589" | "5406628" | "5475758" | "5491752" | "5497421" | "5604801" | "5724425" | "5737419" | "5748735" | "5850442" | "5922074" | "5953422").PN.	US-PGPUB; USPAT; USOCR